



1200MM BUILT IN COMBINATION BRAAI INCLUDING FLUE KIT



R13,627.00

1200mm Combination braai made of mild steel including a 2.4m flue kit.

1200MM BUILT-IN COMBINATION BRAAI | MILD STEEL

1200mm built-in Combination braai for indoor as well as under-cover outdoor use.

Enjoy the best of both worlds. A traditional wood-burning South African braai as well as a 2-burner stainless steel gas griller.

The braai comes full house including flue pipe and a standard cyclone fixed cowl.

Gas connection





You will require a minimum 9kg bottle of LPG to operate the griller although we recommend a larger bottle.

Use a copper pipe to link to the gas bottle which your gas installer will provide.

We recommend you use a qualified installer for proper, safe installation.

Double door design

Double door design - top door tilts up, bottom door drops 90° to form a workbench.

Moreover, the bottom rests on specially designed strong L-brackets, doing away with the traditional double chain.

Construction

We use 2.5mm mild steel for the body and moving parts and 1.6mm for the braai doors.

On the other hand, the main charcoal braai grid, as well as the gas griller are made of 430 stainless steel.

Another unique feature of Lava's braais is a recessed 220V downlight/spotlight for bright illumination.

The ember maker at the center of the braai shields the gas griller from the charcoal side.

In other words, due to limited space, there is no partition between the two braais.

Note: Unlike the 1200 model, the 1500mm model has a separate compartment for the gas griller.

On both 1200 and 1500 models, the griller sits on the right-hand side of the braai.

Flue kit

A standard 2.4m flue kit made from a Chromadek roofing material is supplied with the braai.

A kit consists of 2 x 920mm round flue pipes and a cyclone (fixed) cowl 720mm in length, together making up 2400mm.

Accessories available include - 45° & 90° offsets, extra flue pipes, ceiling plates as well as a wall support bracket.

COWL

New Cyclone Cowl is now a standard feature in all Lava Fires braais & fireplaces.

The cyclone cowl replaces the traditional bird-looking rotating cowl.

Having a more efficient design, the new cyclone cowl does not rotate and is maintenance-free.





Nevertheless, a rotating cowl is still available on a special request at an additional charge.

Maintenance

In addition to regularly cleaning your braai, you will also need to maintain it periodically. For example, depending on the frequency of use, we recommend you give a touch-up paint annually. Such paint is readily available at your nearest hardware shop. Moreover, for normal cleaning, avoid using any chemicals or detergents on the body of the braai. That is to say, only use a damp cloth dipped in water to prevent rusting.

Guarantee

We offer a standard 5 Year guarantee against heat damage.

Standard Unit Includes

- V-Shape stainless steel grid
- Gas Griller, 2 burner
- 220V Downlight / Spotlight
- Potjie hook
- Ashpan & draw
- Ember maker
- 2.4m Flue Kit, □350mm
- Standard Cyclone fixed cowl

Dimensions

Overall : Width 1285 mm | Depth : 585 mm | Height : 935 mm

Cut Out : Width 1250 mm | Depth : 540 mm (refer to drawing below)

Braai grid : Width 495 mm | Depth 445 mm

