



1500 COMBINATION BRAAI ON CABINET INCL. COWL AND FLUE PIPE



R24, 181.00

1500 COMBINATION BRAAI ON CABINET | WOOD & 2-BURNER GAS GRILL

1500mm built-in Combination braai on a cabinet for indoor as well as under-cover outdoor use.

Both the braai and the cabinet are built inside the wall.

The Combo braai is not a free-standing braai, unlike Lava's Patio braais.

Enjoy the best of both worlds. A traditional wood-burning South African braai as well as a 2-burner Stainless steel gas griller.

The braai comes full house including flue pipe and a standard cyclone fixed cowl.





Gas connection

You will require a minimum 9kg bottle of LPG to operate the griller although we recommend a larger Bottle.

Use a copper pipe to link to the gas bottle which your gas installer will provide.

We recommend you use a qualified installer for proper, safe installation.

Double door design

Double door design - top door tilts up, bottom door drops 90° to form a workbench.

Moreover, the bottom rests on specially designed strong L-brackets, doing away with the traditional Double chain.

Construction

We use 2.5mm mild steel for the body and moving parts and 1.6mm for the braai doors.

On the other hand, the main charcoal braai grid, as well as the gas griller are made of 430 stainless Steel.

Another unique feature of Lava's braais is a recessed 220V downlight/spotlight for bright illumination.

The ember maker at the center of the braai shields the gas griller from the charcoal side.

In other words, due to limited space, there is no partition between the two braais.

Flue kit

A standard 2.4m flue kit made from a Chromadek roofing material is supplied with the braai.

A kit consists of 2 x 920mm round flue pipes and a cyclone (fixed) cowl 720mm in length, together Making up 2400mm.

Accessories available include - 45° & 90° offsets, extra flue pipes, ceiling plates as well as a wall Support bracket.

COWL

New Cyclone Cowl is now a standard feature in all Lava Fires braais & fireplaces.

The cyclone cowl replaces the traditional bird-looking rotating cowl.

Having a more efficient design, the new cyclone cowl does not rotate and is maintenance-free.

Nevertheless, a rotating cowl is still available on a special request at an additional charge.





Maintenance

In addition to regularly cleaning your braai, you will also need to maintain it periodically. For example, depending on the frequency of use, we recommend you give a touch-up paint annually. Such paint is readily available at your nearest hardware shop. Moreover, for normal cleaning, avoid using any chemicals or detergents on the body of the braai. That is to say, only use a damp cloth dipped in water to prevent rusting.

5 Year guarantee applicable against heat damage.

Standard Unit Includes

- V-Shape stainless steel grid
- Gas Griller - 2 burner
- 2 x 220V Downlight / Spotlight
- Potjie hook
- Ashpan & draw
- Ember maker
- 2.4m Flue Kit, □440mm
- Standard cyclone (fixed) cowl
- Double Door Cabinet (built-in design)

Technical Data

- Built-in/Cut-out dimension: Width 1505mm | Height 1125mm | Depth 635mm
- External frame dimension: Width 1560mm | Height 885mm
- Grid Size: L 720mm x W 540mm

