



800 BUILT IN BRAAI INCL. CYCLONE COWL AND FLUE PIPES



R6, 780.00

800 De Lux braai - 800mm built in braai suitable for indoor and outdoor applications, made of Mild steel black painted.

Grid size: Length 560mm x Width 465mm

Flue diameter: □250mm

800 BUILT-IN-BRAAI | MILD STEEL

800mm built-in De Lux braai is suitable for indoor and outdoor (undercover) applications, made of Mild steel in a black finish.

The De Lux is a classic double-door design: the top door tilts up and rests against the braai frame.





The bottom door drops down to form a workbench.
Both doors can be removed by unscrewing the screws at the hinges.

Material

Braai's body and moving parts are made of 2.5mm hot roll and the doors are 1.6mm hot roll.
We also include a standard V-shape stainless steel grid, a superior alternative to the commonly sold Galvanized grids.

Unique Features

Good lighting always comes in handy when braaing at night time or under low lighting conditions.
Your braai is fitted with a 220V downlight/spotlight to provide good lighting. We also include a Halogen bulb made of glass that can withstand heat.

Another unique feature of Lava's De Lux braais is the bottom door & serving tray.
We use specially designed L-shape clips to keep the bottom door in a horizontal position and
We canceled the double chain. This improves the overall look of the braai.

Cowl

New Cyclone Cowl is now a standard feature in all Lava Fires braais & fireplaces.
The cyclone cowl replaces the traditional bird-looking rotating cowl.
The round cyclone cowl is a fixed cowl - it does not rotate! It is a more efficient design and
Maintenance-free.
Nevertheless, a rotating cowl is still available on a special request at an additional charge.

Rust and Corrosion

This mild steel braai is designed for indoor use OR outdoor use provided it is undercover and does not
Come in direct contact with water (rain, garden sprinklers, etc.).
It is not suitable for outdoor coastal areas even if installed undercover unless the patio is completely
Enclosed to avoid the corrosive sea salt in the air.
It is advisable to paint the braai regularly.

5-year guarantee

A standard 5-year guarantee is applicable to the braai box against warping, excluding moving parts.
Please refer to our warrantee certificate.

Standard Built-in braai includes

- V-Shape stainless steel grid





- 220V Downlight / Spotlight
- Potjie hook
- Ashpan
- Ember maker
- 2.4m flue kit (2 flue pipes + cyclone cowl)

Technical Data

- Overall dimension: Width 890 mm | Height 1025 mm | Depth 580 mm
- Minimum opening width recommended: 850mm (806mm fire box + 22mm gap on either side for Insulation blanket)
- Flue diameter: **250mm**
- Grid Size: **L 560mm x W 465mm**

Packaging & Weight

- Body: Width 850mm | Length 600mm | Height 1000mm - Weight 95Kg
- Flues: Width 600mm | Length 600mm | Height 1250mm - Weight 20Kg

